

OIL INDIA LIMITED
(A Government of India Enterprise)
P.O. Duliajan, Pin – 786602
Dist-Dibrugarh, Assam

Amendment No.1 dated 29.10.2020 to E-Tender No. CDH5424L21 for ‘Charter Hire of 02(Two) No. 550 HP(Min)-750 HP(Max) Capacity Workover Rigs for a Period of 03(Three) years in the States of Assam & Arunachal Pradesh.’

This Amendment is issued to notify the following changes/additions:

1. Kindly refer to the Format for ‘WORKOVER RIG INSPECTION CERTIFICATE’ enclosed vide **Enclosure-I** as part of the tender document.

All other terms and conditions of the Bid Document remain unchanged. Details can be viewed at www.oil-india.com.

WORKOVER RIG INSPECTION CERTIFICATE - FORMAT

(SEPARATE CERTIFICATE TO BE ISSUED FOR EACH RIG)
(TO BE ISSUED BY TPI FOR OLD RIG / MANUFACTURER FOR NEW UNUSED RIGS)

The following rig and equipment shall be inspected / manufactured and supplied as per details below:

Sl. No.	Description	Details			
1.0	Name of the Manufacturer , Model and capacity of the Rig				
2.0	Buyers details (detailed address, telephone & Fax No)				
3.0	Readiness / availability of rig for inspection.				
4.0	Details of rig / equipment	Details of rig / equipment offered	Whether meets the tender specification	Year of Manufacture	Residual life
4.1	<p><u>Rig Type:</u></p> <p>i. Mobile-self-propelled /trailer mounted /Ext propelled</p> <p>ii. Trailer/Carrier Make: Model: Front/Rear axle (Nos) Capacity:</p> <p>iii. Electric/Diesel Engine powered :</p>				
4.2	<p>(a) Mast: Make: Model: Capacity in MT: Height from ground level (in Ft):</p> <p>(b) Sub structure:</p>				

ENCLOSURE-I

	Capacity in MT: Height from ground level below Rotary Table beam (in Ft):				
4.3	Rig engine: Nos. of engine: Make : Model: H.P.:				
4.4	Draw works: Make: Model: H.P.:				
4.5	Rotary systems: Make: Model: Static and rotating capacity (in MT): Rotary Table opening in inch:				
4.6	Tackle system: Make : Model: Capacity in MT:				
4.7	Swivel: Make: Model: Capacity in MT: Pressure rating (kg/sq.cm)				
4.8	Kelly Make: Model: Size: Shape: Pressure Rating (Kg/sq.cm)				
4.9	BOP as per clause No:7.10 (a) Make: Cameron/Shaffer/Hydrill , Worldwide Oilfield Machine (WOM) Model: Pressure Rating: 5000 PSI Double Ram/Two Stack BOP with one set Shear cum Blind ram & one set				

ENCLOSURE-I

	Pipe ram: Manual control : (Y/N)				
4.10	BOP as per clause No:7.10 (b) Make: Cameron/Shaffer/Hydrill Worldwide Oilfield Machine (WOM) Model: Pressure Rating: 10000 PSI Double Ram/Two Stack BOP with one set Shear cum Blind ram & one set Pipe ram: Manual control : (Y/N)				
4.11	BOP Control unit : Make: Hydraulic operated (Y/N)				
4.12	<u>Well Servicing Pump:</u> Make: Model Maximum pressure Rating : Discharge rate at specified pressure: <u>Engine :</u> Make: Model: HP:				
4.13	<u>Cementing Pump:</u> Make: Model Maximum pressure Rating : Discharge rate at specified pressure: <u>Engine :</u> Make: Model: HP:				

ENCLOSURE-I

4.15	Drill Pipe: Connection: OD of drill pipe Body: OD of Tool joint: API Grade : Note: In case, to be purchased after award, kindly specify				
4.16	Refurbishment , if any with date and details of refurbishment				

⁂⁂⁂⁂